

CL55 2 Feed Heads



A	SALES FEATURES

CL55 2 Feed Heads is ideal for slicing, ripple cutting, grating, dicing, shredding and making french fries from all types of fruit and vegetables, as well as grating cheese.

TECHNICAL FEATURES

CL55 2 Feed Heads - Single phase. Power - 2.5HP. 1 speed 425 rpm. Magnetic safety system, motor brake and lever-activated auto restart. This metal Vegetable Preparation Machine has a lateral ejection facility and is equipped with 2 Feed Heads: 1 Bulk Feed Head and 1 Pusher Feed Head with XL full moon hopper, diameter 6 7/8", and integrated cylindrical hopper diameter 2 5/16". Stainless steel motor base, chute, continuous feed lead and stand. Suitable for 100 to 1000 covers per service. Included: 28064 (3mm) 1/8" slicing disc and 28058 (3mm) 1/8" grating disc and 2 disc racks. Large choice of 52 discs available.

Select your options at the back page, F part.

C 1	ECHNICAL DATA
Output power	2.5 HP
Electrical data	Single-phase - 13.5 Amp plug included
Speed	425 rpm
Dimensions (H×L×W)	with stand 52 3/16" \times 15 9/16" \times 20"
Rate of recyclability	95%
Net weight	113 lbs
Nema #	5-15P
Reference	CL 55 2 Feed Heads Series E 120V/60/1

D Number of meals per service	100 to 1000
Theoretical output per hour*	2645 lbs

PRODUCT FEATURES / BENEFITS

MOTOR BASE

- Industrial induction motor for intensive use.
- Power 2.5 HP
- Stainless steel motor base and shaft.
- Magnetic safety system with motor brake.
- 1 speed 425 rpm

VEGETABLE PREPARATION FUNCTION

- Vegetable Preparation Machine equipped with 2 Feed Heads to process large quantities:
 - Bulk Feed Head combines large input of produce, large output and quality cuts. Ideal for slicing delicate foodstuffs like mushrooms, tomatoes, grated carrots, diced potatoes or preparing French fries.
 - Pusher Feed Head with 1 XL full moon hopper to accommodate a whole cabbage or up to 15 tomatoes and integrated cylindrical hopper which ensures a uniform cut for long and delicate produce.
- Removable lid continuous feed lead.
- Reversible discharge plate for processing delicate produce.
- · Lateral ejection facility for space-saving and greater user comfort.
- Stainless steel mobile stand equipped with 2 wheels and fitted with brakes for easy movement.
- Lever-activated auto restart (by the pusher)
- Lever-assisted facility requires less effort from the operator and increases output.
- Vertical pusher pressure exerted on vegetables to ensure uni-
- Large choice of 52 discs available.
- Included: 28064 (3mm) 1/8" slicing disc and 28058 (3mm) 1/8" grating disc and 2 disc racks.
- Stainless steel blades on slicing discs, blades on Julienne discs and grating discs are removable.

MASHED POTATO FUNCTION

option : Mashed Potato Kit

STANDARDS

ETL electrical and sanitation Listed/cETL (Canada)



Update: November 2014

* Results may differ depending on the type of the hopper used, the choice of the cut and the setup of the workstation.

www.robotcoupeusa.com

Specification sheet



CL55 2 Feed Heads

OPTIONAL ACCESSORIES

- 4 tubes Feed Head: Special long vegetables ref 28161
 Straight and bias cut hole hopper: ref 28155
 for long vegetables and bias cuts ref 28155.
- Dice Cleaning Kit: cleaning tool for dicing grids 5 mm (3/16"), 8 mm (5/16") and 10 mm (3/8").
 Mashed Potato Kit 3 mm: ref 39881
- ref 28207
- Wall-mounted disc holder for 8 large discs: ref 107 812

	SUGGESTED PACKS OF DISCS
3 disc package	5mm (3/16") coarse grating, 6mm (1/4" \times 1/4") julienne and 5mm (3/16") slicing discs.
5 disc package	5mm (3/16") coarse grating; 6mm (1/4"x1/4") julienne; 5mm (3/16"), 10mm (3/8") slicing discs; 10x10mm (3/8" x 3/8") dicing grid
16 disc package	Slicers - 0.8mm (1/32"), 2mm (5/64") & 5mm (3/16". 2 graters - 2mm (5/64") & 5mm (3/16"); 3 dicing - 5x5x5mm (3/16"), 10x10x10mm (3/8") & 14x14x5mm (9/16"x9/16"x3/16"). 2 Julienne sticks - 2.5 x 2.5mm (1/10"x1/10") & 2 x 10mm (5/64"x3/8"). Dice Cleaning Kit and 2 disc holders.

OPTIONAL DISCS



SLICING	
0.6 mm	28166
0.8 mm	28069
1 mm (1/32")	28062
2 mm (5/64")	28063
3 mm (1/8")	28064
4 mm (5/32")	28004
5 mm (3/16")	28065
6 mm (1/4")	28196
8 mm (5/16")	28066
10 mm (3/8")	28067
14 mm (9/16")	28068
20 mm (25/32")	28132
25 mm (1")	28133
cooked potatoes 4 mm (5/32")	27244
cooked potatoes 6 mm (1/4")	27245



RIPPLE	CUTTING
2 mm (5/64")	27068
3 mm (1/8")	27069
5 mm (3/16")	27070



GRATERS	
1.5 mm (1/16")	28056
2 mm (5/64")	28057
3 mm (1/8")	28058
4 mm (5/32")	28136
5 mm (3/16")	28163
7 mm (9/32")	28164
9 mm (11/32")	28165
Röstis potatoes	27164
Raw potatoes	27219
Fine Pulping disc	28055
Hard Cheese grate	28061



JULIENNE	
1x8 mm tagliatelle (1/32"x5/16")	28172
1x26 onion/cabbage (1/32"x1 1/4")	28153
2×2 mm (5/64" x 5/64")	28051
2×4 mm (5/64" × 5/32")	27072
2×6 mm (5/64" × 1/4")	27066
2×8 mm (5/64" × 5/16")	27067
2x10 tagliatelle (5/64"x3/8")	28173
2.5×2.5 mm (1/10" × 1/10")	28195
3×3 mm (1/8" × 1/8")	28101
4×4 mm (5/32" × 5/32")	28052
6×6 mm (1/4" × 1/4")	28053
8×8 mm (5/16" × 5/16")	28054




DICING EQUIPMENT	
5×5 mm (3/16")	28110
8×8 mm (5/16")	28111
10×10 mm (3/8")	28112
12x12 mm (15/32")	28197
14x14x5 mm Mozzarella (9/16''x9/16''x3/16'')	28181
14x14x10mm (9/16"x9/16"x3/8")	28179
14×14 mm (9/16")	28113
20×20 mm (25/32")	28114
25×25 mm (1")	28115
2" Lettuce Cut	28180



FRENCH FRY EQUIPMENT	
8x8 mm (5/16" x 5/16")	28134
8x16 mm (5/16""x 5/8")	28159
10x10 mm (3/8"x 3/8")	28135
10x16 mm (3/8" x 5/8")	28158

120V/60/1 - delivered with cord and plug.



ELECTRICAL DATA